


Feb.1.2026 Copyright 2026 HIROSE ELECTRIC CO., LTD. All Rights Reserved.  
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



- NOTES
- ① PLATING (REF. NO. ③, ④)  
CONTACT AREA : GOLD 0.2μm min.  
OTHERS : GOLD OR NICKEL  
UNDER PLATING : NICKEL 2μm min.
  - ⚠ ② THE RECOMMENDED CLAMP TORQUE OF REF. NO. ⑨ TO BE 1 TO 1.5N·m.  
THREAD LOCKER TO THE THREADED PORTION OF REF. NO. ① APPLIES TO PREVENT REF. NO. ⑨ FROM LOSING.  
RECOMMENDED THREAD LOCKER: LOCTITE 263, HENKEL JAPAN LTD.
  - ⚠ ③ THE RECOMMENDED CLAMP TORQUE OF REF. NO. ⑭ TO BE 0.8 TO 1N·m.  
THREAD LOCKER AND LOCK PRIMER TO THE THREADED PORTION M12.5X0.75 OF REF. NO. ⑨ APPLIES TO PREVENT REF. NO. ⑭ FROM LOSING.  
RECOMMENDED THREAD LOCKER AND LOCK PRIMER : LOCTITE 263, LOCK PRIMER 7649, HENKEL JAPAN LTD.
  - ④ FASTEN REF. NO. ⑮ TO THE CABLE WITH THE CABLE CRIMPING TOOL.  
AND MAKE REF. NO. ⑮ CONTACT WITH REF. NO. ⑪ (REFER TO Fig. 1).  
REFER TO THE TECHNICAL SPECIFICATION ETAD-C0099 FOR DETAILS.  
APPLICABLE CABLE CRIMPING TOOL : LF-TC-01 (CL150-0234-6)
  - ⑤ Fig. 2 SHOWS THE APPEARANCE AFTER ASSEMBLY.
  - ⑥ APPLICABLE CABLE ASSEMBLY FIXTURE : LF10BP-T01 (CL150-0235-9)  
CABLE ASSEMBLY FIXTURE IS USED AS A RECEPTACLE STAND OF EXTRACT AND THE PART NUMBER ① OF AN ASSEMBLY.
  - ⑦ ROTATION EXAMPLES OF REF. ⑤, ⑨ AND ⑭ TO ① ARE SHOWN.
  - ⑧ THE CABLE PULL, TWISTING STRENGTH, WATERPROOF ABILITY AND OTHER CHARACTERISTICS MAY DIFFER, DEPENDING ON THE CABLE STRUCTURE, PLEASE CONFIRM BEFORE THE USE.

NO.	MATERIAL	FINISH	REMARKS	NO.	MATERIAL	FINISH	REMARKS
8	STAINLESS STEEL			15	BRASS	NICKEL PLATING	
7	CHLOROPRENE RUBBER	(BLACK)		14	PPS	(NATURAL·BROWN)	UL94V-0
6	STAINLESS STEEL			13	POLYAMIDE	(NATURAL·MILKY WHITE)	UL94V-0
5	ZINC ALLOY	NICKEL PLATING		12	CHLOROPRENE RUBBER	(BLACK)	
4	COPPER ALLOY	①		11	PHOSPHOR BRONZE	NICKEL PLATING	
3	COPPER ALLOY	①		10	CHLOROPRENE RUBBER	(BLACK)	
2	PPS	(BLACK)	UL94V-0	9	ZINC ALLOY	NICKEL PLATING	
1	ZINC ALLOY	NICKEL PLATING					

UNITS	SCALE	COUNT	DESCRIPTION OF REVISIONS	DESIGNED	CHECKED	DATE
mm	4 : 1	2	DIS-C-00017016	HT. ZENBA	EJ. KUNII	20240311

APPROVED	CHECKED	DESIGNED	DRAWN	DRAWING NO.	PART NO.	CODE NO.
HY. KOBAYASHI	HY. KOBAYASHI	TY. SUZUKI	HM. SAITO	20180222	20180222	20180221
				EDC-117089-31-00		
				LF10WBPD-12P(31)		
				CL0136-0018-4-31		①/1